


INSTRUCTION

SHOWER ENCOSURE - AREK Black









We appreciate your choosing of our shower products, and wish you a pleasant experience with our products and service. Please read Instruction carefully before installation.


IMPORTANT


Please check the shower enclosure for transport damage and completeness before installation. Complaints made following installation cannot be accepted.


Please read carefully the following instructions before installing your shower enclosure to ensure safe and proper use and avoid any injury to either the installer or user .Failure to comply may invalidate your guarantee.


We recommend installing the side with the silkscreen print outside the box.


The screen-printed strips must be cleaned with soft cloths and neutral detergents, then rinse with water and dry.














CARE INSTRUCTIONS

Shower enclosures should be cleaned after every use. To prevent limescale from building up, use a squeegee, a soft cloth or chamois leather-but no cleaning-to wipe off any water droplets left after showering. Residue left by bodycare products (liquid soap, shampoo, shower gel) can also cause substances to accumulate. Use water to rinse away residues after use. All sliding door track fittings should also be cleaned this way-to ensure that they continue run smoothly.

- Don't allow limescale to build up-especially in hard water areas
- If you do get a stubborn limescale build up,a mixture of 50:50 vinegar and water will help you to clean it away-but make sure all vinegar is rinsed off completely
- Never use strong detergents or cleaning agents
- Cleaning materials should wherever possible be rated between PH4 and PH8
- In no circumstances should you use any abrasive sub stance

This product has been imported by Bayker Italia S.p.A - Via Pedemontana 13, 41042 Fiorano Modenese (MO) Italy Made in China

